Feed-Off-The-Arm. 3-Needle Double Chainstitch Machine







The nice interrelation of Hi-technology and Human sensibility
This is the main theme of Pegasus new products.

Offers the best in lap seami. This e deskil vour e PEGASUS Feed-off-the-arm cylinder bed The feed-off-the-arm cylinder bed is the most suitable for lap seaming operations on cylindrical goods such as side seaming or inseaming on jeans or work pants, side seaming or sleeve seaming on denim jackets, providing easy lap seaming and eliminating the need for sophisticated techniques, so that even unskilled operator can use the machine. Knurled roller prevents plyshift The knurled roller located at the end of the cylinder bed pulls the fabric forcibly from behind the needle to produce a clean finish without plyshift. This also prevents seam jamming in cross seam sections of extra-heavy weight fabrics. (Please use a resin roller for easily damageable fabrics such as corduroy.) Pop-out looper The looper pops out when the button is pressed so that threading is not wearisome any more. Equipped with HR device Differential feed adjustment lever Stitch length adjustment lever Equipped with sliding binder

ng operation. easy-to-use, functional FV Series cills your operator, greatly improving efficiency.



Ordering information





03: Medium weight fabrics
05: Extra-weight fabrics

2 Gauge

A: With differential feed
B: Single piece feed

3 Number of needles

4 Needle space

4	1 8	4	3	A	III III	1	00	1	O
					Needle	Stitch	D.11	Foot	Max.

Application	Fabric weight	Subclasses	No.of needles	No.of threads	Needle space (mm)	Stitch length (mm)	Diff. feed ratio	Foot lift (mm)	Max. speed (s.p.m.)	Remarks
Lap seaming	Medium	FV203-02BA	3	6	6.4 • 7.2	5,	-	7	4,500	Single piece feed
	Extra- heavy	FV205-02AA	3	6	6.4 · 7.2	5	0.5~1.3	7	4,500	With differential feed
	Extra- heavy	FV205-02BA	3	6	6.4 · 7.2	5	-	7	4,500	Single piece feed



PEGASUS CO., LTD.

5-7-2, Sagisu, Fukushima-ku, Osaka 553-0002, Japan Phone: (06)6458-4739 Telefax: (06)6454-8785